




APPARECCHI PER
SABBIATURA E PALLINATURA
Strada Consorziale delle Foppe, 2
23848 OGGIONO (LC)
Tel. +39 0341 57.92.73
Fax +39 0341 57.58.64
info@cbsabbiatrici.com
www.cbsabbiatrici.com

ACCESSORI ACCESSOIRES ACCESORIES



< A - Bombole abbatti condensa
Anti-condense bottle
Botella anticondensación

Art.	Lt.	Aria Lt./1'
B-7	7	2500
B-15	15	4000
B-24	24	8000



- < B - Tubi in gomma antiabrasiva
Antiabrasive rubber tubes
Tubos en goma antiabrasiva
- < C - Sistemi di idrosabbatura
Hydro sandblasting system
Sistema de hidroarenadora

- < D - Silenziatore scarico
Exit silencer
Silenciator descarga

- < E - Carrelli regolabili a
scivolamento
Chute adjustable carriages
Vagonetas regulables
adaptables



< D
CD-32



BAYGAR

ACCESSORI ACCESSOIRES ACCESORIES



CB

Cappucci e casco di protezione

Covered and protective helmets

Capuchon y casco de proteccion

M 01



M 04



M 02



M 03





**Ugelli venturi in carburo
di tungsteno**

**Venturi type nozzles by
tungsten carbide**

**Boquillas tipo venturi en
carburo de tungsteno**



**Raccordi rapidi
Quick unions
Racores rápidos**



**Porta ugello ed attacchi
tubo sabbia
Nozzle holder and
connections for sand tube
Portaboquillas y
conexiones para tubo arena**



G BAYGAR

ACCESSORI ACCESSOIRES ACCESORIES



CB

Ugello con foro Venturi per grandi produzioni
Nozzle with Venturi aperture for heavy warh
Boquilla tipo Venturi para gran rendimiento

CONSUMI / CONSUMPTION / CONSUMO

Consumo aria compressa in lt. min.
Compressed air consumption L/min.
Consumo aire comprimido en lt/min.

Consumo abrasivo in Kg./h.
Abrasive consumption Kg./hr.
Consumo abrasivo en Kg/h.

Diametro Aperture Agujero	Lunghezza Lenght Longitud	Montatura Assembly Montaje	Cod. Articolo Part.Number Cod. Art.	a 6 bar	a 7 bar	Sabbia silicea Silica Sand Arena silicea	Graniglia metalica Shot Granalla metálica	Coridone Corundum Corindón
8 mm	150 mm	Filettata all. Tread all. Brida	UG. 3	5000	5400	535	1350	625
10 mm	150 mm	.	UG. 3	6200	7000	700	1750	830
8 mm	150 mm	.	UG. 4	5000	5400	535	1350	625
10 mm	150 mm	.	UG. 4	6200	7000	700	1750	830

Ugello con foro Venturi per medie produzioni
Nozzle with Venturi aperture for average output
Boquilla tipo Venturi para media production

CONSUMI / CONSUMPTION / CONSUMO

Consumo aria compressa in lt. min.
Compressed air consumption L/min.
Consumo aire comprimido en lt/min.

Consumo abrasivo in Kg./h.
Abrasive consumption Kg./hr.
Consumo abrasivo en Kg/h.

Diametro Aperture Agujero	Lunghezza Lenght Longitud	Montatura Assembly Montaje	Cod. Articolo Part.Number Cod. Art.	a 6 bar	a 7 bar	Sabbia silicea Silica Sand Arena silicea	Graniglia metalica Shot Granalla metálica	Coridone Corundum Corindón
3 mm	70 mm	Filettata all. Flanged all. Brida	UG. 1	470	550	55	140	65
4 mm	70 mm	.	UG. 1	850	950	95	230	110
5 mm	70 mm	.	UG. 1	1500	1800	150	370	175
6 mm	70 mm	.	UG. 1	2600	3000	300	700	355
7 mm	70 mm	.	UG. 1	4200	4600	470	1050	545
8 mm	70 mm	.	UG. 1	4800	5200	500	1200	600
9 mm	70 mm	.	UG. 1	5800	6600	590	1350	695
10 mm	70 mm	.	UG. 1	6500	7500	670	1550	780
6 mm	100 mm	.	UG. 2	2800	3200	300	700	355
7 mm	100 mm	.	UG. 2	4400	4800	470	1050	545
8 mm	100 mm	.	UG. 2	5200	5600	500	1200	600